

Safety meetings keep everyone's mind on working safely. Time taken to review a safety topic highlights the company's commitment to a safe work environment. Some employers like to hold safety discussions when they issue paychecks, or at other natural gathering times. Dodson's Safety Tip provides a safety topic and sample text for a meeting or a safety break.

Safety Topic: **CUTS AND BURNS**

Nicks, cuts, scratches and burns. Minor injuries that can occur to any one of us no matter how careful we are. Minor injuries to the skin that are often ignored. But it must be remembered that skin is a vital organ; one that should not be ignored. Not only is skin the largest bodily organ, it also keeps the good stuff in and the bad stuff out. So what do you do when you get a minor injury? If you are like many, you realize a doctor's visit is not necessary and try to treat the injury yourself. How do you know when to seek professional treatment? How do you treat injuries that do not require a doctor's visit?

Cuts: Cuts require immediate professional attention if:

- There is severe bleeding, especially arterial wounds, which literally pump blood from the body.
- Puncture wounds, such as those caused by a rusty nail or animal bite. These will require a tetanus booster shot.
- Cuts more than one half inch long and one quarter inch deep, which will require stitches.

To treat any cuts, first stop the bleeding and then treat to prevent infection. Place a sterile gauze (or if you do not have any gauze, a clean cloth) over the wound and hold it until the bleeding stops. Apply pressure continuously. If the gauze or cloth soaks through, simply place another cloth over the first and resume the pressure. When the bleeding has stopped, wash the cut with soap and water, followed by a disinfectant. If the bleeding does not stop, get professional treatment. After the cut is clean, look for any foreign object(s) in the cut and remove them. If you do not, a threatening infection may set in. To aid in keeping the wound clean while it heals, you can cover it with a bandage. However, if you use a bandage, remember it will need attention too. Change it twice daily and use an antibiotic cream to prevent further infection. Keep in mind that wounds exposed to air heal faster. But it is also very important to keep a wound clean and dry to prevent infection.

Treatment for a scrape is the same, except you do not have to worry about stopping blood flow as there is very little.

The information contained in the Safety Topic are believed to be reliable and correct. We accept no legal responsibility for the correctness or completeness of this information. It is not intended as advice or assistance with specific workplace safety issues and following the guidelines in the Safety Topics does not guarantee compliance with specific safety standards, federal or state laws and regulations or local codes and ordinances. If in doubt about whether medical assistance is required, seek the services of a competent medical professional.

Safety meetings keep everyone's mind on working safely. Time taken to review a safety topic highlights the company's commitment to a safe work environment. Some employers like to hold safety discussions when they issue paychecks, or at other natural gathering times. Dodson's Safety Tip provides a safety topic and sample text for a meeting or a safety break.

Burns:

Burns are classified as first, second, or third degree. A first degree burn causes redness. Blistering is caused by a second degree burn. Charred, blackened or blanched skin are signs of a third degree burn. Furthermore, burns can be caused by heat (thermal burns) or by contact with chemicals. Seek professional, medical treatment for:

- All third degree burns.
- Second degree burns involving more than one fifth of the body or if the burn has affected the face, hands, feet, or genitalia.

First aid treatment for a burn involves relief of pain, infection prevention and treatment or prevention of shock. If a burn begins to blister, cool it by placing your hand or foot in cold, still (not running) water. You will need to use an ice pack on any other part of the body. Gently clean the burn and cover the area with a sterile, *non-stick* gauze. Change the dressing twice a day. Never puncture a blister. This just opens the door for infection. Never use butter, oils, or petroleum jelly on burns.

If the burn is due to a chemical exposure, flush the burned area with running water for at least 15 minutes. While you flush, remove any contaminated clothing, especially clothing in the area of the burn. Check the first aid instructions for the chemical. These are found on the container and/or Material Safety Data Sheet (MSDS). Treat as specified. Cover the burn with a clean dressing and call a doctor.

- If a third degree burn is involved, get professional medical treatment quickly. Call an ambulance first. While awaiting professional help, make sure any fire is out and/or remove the victim from the burn source. **DO NOT REMOVE ANY CLOTHING OR APPLY ANY DRESSINGS.** Treat for shock and make sure the victim is still breathing.

Use common sense in all situations. Maintain a well stocked first aid kit and be familiar with first aid procedures. Being knowledgeable and prepared may be the smartest first step of all.

The information contained in the Safety Topic are believed to be reliable and correct. We accept no legal responsibility for the correctness or completeness of this information. It is not intended as advice or assistance with specific workplace safety issues and following the guidelines in the Safety Topics does not guarantee compliance with specific safety standards, federal or state laws and regulations or local codes and ordinances. If in doubt about whether medical assistance is required, seek the services of a competent medical professional.

